

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

STATEMENT OF THE CLAIMS

1. (currently amended) A stapedial prosthesis sized to be implanted as a replacement for the stapes between the incus and the oval window of the middle ear, comprising:
  - a) a body defining a bucket sized to at least partially receive a portion of the incus, and a shaft having a length sufficient to extend from the incus to the oval window; and
  - b) a spring-loaded ~~titanium~~ handle coupled to said bucket.
2. (canceled)
3. (currently amended) A stapedial prosthesis according to claim 1, wherein:

said titanium is commercial pure grade 4 titanium.
4. (original) A stapedial prosthesis according to claim 1, wherein:

said bucket includes a wall with holes therein, and said handle is U-shaped and has two ends which are received, under load, in said holes of said bucket.
5. (original) A stapedial prosthesis according to claim 4, wherein:

said holes in said bucket are diametrically opposed.
6. (original) A stapedial prosthesis according to claim 1, wherein:

said bucket includes a rim and a notch in said rim.

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

7. (original) A stapedial prosthesis according to claim 6, wherein:

said bucket includes a wall with holes therein, and said handle is U-shaped and has two ends which are received, under load, in said holes of said bucket, and said notch terminates above said holes.

8. (previously presented) A stapedial prosthesis according to claim 1, wherein:

said bucket has a wall with a plurality of slots defining wall segments, and said wall segments are manipulatable by a force to adjust an inner dimension of said bucket, said bucket retaining said adjusted inner diameter after said force is removed.

9. (original) A stapedial prosthesis sized to be implanted as a replacement for the stapes between the incus and the oval window of the middle ear, comprising:

- a) a body defining a bucket sized to at least partially receive a portion of an incus, and a shaft having a length sufficient to extend from the incus to the oval window; and
- b) a handle rotatably coupled to said bucket, wherein said handle is constructed from titanium.

10. (original) A stapedial prosthesis according to claim 9, wherein:

said handle is constructed from commercially pure grade 4 titanium.

11. (original) A stapedial prosthesis according to claim 9, wherein:

said body is constructed of titanium.

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

12. (original) A stapedial prosthesis according to claim 11, wherein:

said body is constructed of commercial pure Grade 2 titanium.

13. (original) A stapedial prosthesis according to claim 9, wherein:

said handle is spring-loaded.

14. (currently amended) A stapedial prosthesis sized to be implanted as a replacement for the stapes between the incus and the oval window of the middle ear, comprising:

a) a body defining a bucket and a shaft, said bucket sized to at least partially receive a portion of an incus and having a wall with a plurality of slots defining wall segments, a portion of said bucket being adjustable in diameter by manipulation of said wall segments and retaining said adjusted diameter after a force causing said adjusted diameter is removed, and said shaft having a length sufficient to extend from the incus to the oval window, said shaft having a central portion and first and second end portions, said central portion having a diameter of approximately 0.3-mm, said first end portion having a diameter of approximately 0.4-mm to 0.8-mm, and said second end portion being coupled to said bucket; and

b) a bail handle coupled to said bucket.

15. (original) A stapedial prosthesis according to claim 14, wherein:

said slots are approximately 0.1-mm wide.

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

16. (original) A stapedial prosthesis according to claim 15, wherein:

said slots define arcs about a circumference of the bucket which are substantially smaller than arcs traversed by the wall segments defined by the slots.

17. (original) A stapedial prosthesis according to claim 15, wherein:

said arcs defined by said slots are smaller than said arcs defined by said wall segments by a factor of at least four.

18. (original) A stapedial prosthesis according to claim 14, wherein:

said bucket has a closed bottom portion.

19. - 26. (canceled)

27. (previously presented) A stapedial prosthesis sized to be implanted as a replacement for the stapes between the incus and the oval window of the middle ear, comprising:

- a) a body defining a bucket with a cavity sized to at least partially receive a portion of an incus and having a radial center, said bucket including a wall with openings therein, and a shaft having a length sufficient to extend from the incus to the oval window; and
- b) a handle element coupled to said bucket at said openings, said handle element having ends which are detached from each other but located within the body, but do not extend to or past said radial center of said body.

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

28. (previously presented) A stapedial prosthesis sized to be implanted as a replacement for the stapes between the incus and the oval window of the middle ear, comprising:

- a) a body defining a bucket with a cavity sized to at least partially receive a portion of an incus, and a shaft having a length sufficient to extend from the incus to the oval window; and
- b) a handle element having first and second ends, said handle element coupled to said bucket, and first and second ends (i) each being uncoupled from the other, (ii) each being located within said body, and (iii) each not passing the other within said bucket.

29. (previously presented) A method of implanting a stapedial prosthesis between the incus and oval window of the middle ear, comprising:

- a) providing a stapedial prosthesis including a bucket with a plurality of wall segments, a shaft fixed to the bucket, and a spring-loaded bail handle movably coupled to the bucket, the bail handle oriented so as to provide clear entry to the bucket;
- b) positioning a portion of the incus into the bucket;
- c) moving the bail handle until the bail handle contacts the incus; and
- d) bending one or more segments of the wall of the bucket to adjust a diameter of said bucket to the incus, said bucket retaining said adjusted diameter after said bending force is removed.

30. (canceled)

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

31. (previously presented) A method according to claim 29, wherein:  
said bending includes bending one or more segments until at least one of the segments contacts the incus.
32. (previously presented) A method according to claim 29, wherein:  
said bending occurs before said moving.
33. (previously presented) A method according to claim 29, wherein:  
said bending occurs after said moving.
34. (original) A method according to claim 29, wherein:  
said moving the bail handle includes rotating the bail handle.
35. (original) A method according to claim 34, wherein:  
said moving the bail handle includes pulling the bail handle over a portion of the incus.
36. (original) A method according to claim 35, wherein:  
said moving the bail handle includes causing the bail handle to pass through a plane containing both the bail handle and a longitudinal axis of the bucket and the shaft.

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

37. (original) A method according to claim 29, wherein:

said moving the bail handle includes biasing the incus relative to the bucket with the spring-loaded bail handle.

38. (original) A method according to claim 29, wherein:

after said moving, the bail handle is substantially fixed relative to the bucket via the spring-load on the bail handle.

39. (original) A method according to claim 29, wherein:

said providing includes providing a stapedial prosthesis with a titanium bail handle.

40. (previously presented) A stapedial prosthesis according to claim 8, wherein:

said wall segments are permanently deformable to permanently adjust said inner dimension of said bucket.

41. (previously presented) A stapedial prosthesis according to claim 14, wherein:

said shaft is stepped in diameter.

42. (canceled)

Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

43. (currently amended) A stapedial prosthesis according to claim 42 14, wherein:

said shaft ~~is made~~ consists of a metal or metal alloy, and said first end portion defines holes sized for tissue ingrowth.

44. (currently amended) A stapedial prosthesis according to claim 42 14, wherein:

said first end portion has a length not exceeding 1-mm.

45. (currently amended) A stapedial prosthesis according to claim 42 14, wherein:

said first end portion has a length greater than 0.3-mm.

46. (canceled)

47. (currently amended) A stapedial prosthesis according to claim 42 14, wherein:

said central portion has a length at least approximately 2.4 times a length of said first end.

48. (currently amended) A stapedial prosthesis sized to be implanted as a replacement for the stapes between the incus and the oval window of the middle ear, comprising:

- a) a bucket sized to at least partially receive a portion of the incus;
- b) a shaft extending from said bucket having a length sufficient to extend from the incus to the oval window; and



Serial No.: 10/666,451  
Examiner: David Isabella  
Art Unit: 3738

c) a ~~titanium~~ spring-loaded handle coupled to said bucket, wherein a constant force is required to rotate said handle relative to said bucket completely through a permitted degree of rotation.

49. (previously presented) A stapedial prosthesis according to claim 48, wherein:  
said degree of rotation is approximately 180°.

50. (new) A stapedial prosthesis according to claim 48, wherein:  
said handle is made of titanium.

51. (new) A stapedial prosthesis according to claim 1, wherein:  
said handle is made of titanium.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**